

Aluminum Quick-Acting Couplings

Aluminum Part A Male Adapter x Female NPT



Part Number	Size	Weight Each	Standard Carton	List Price Each
A050A	1/2"	0.10	100	
A075A	3/4"	0.13	50	
A100A	1"	0.12	70	
A125A	1-1/4"	0.20	40	
A150A	1-1/2"	0.28	30	
A200A	2"	0.38	40	
A250A	2-1/2"	0.58	50	
A300A	3"	0.70	35	
A400A	4"	1.34	20	
A500A	5"	1.62	4	
A600A	6"	2.00	15	

Aluminum Part E Male Adapter x Hose Shank



Part Number	Size	Weight Each	Standard Carton	List Price Each
E050A	1/2"	0.08	100	
E075A	3/4"	0.11	50	
E100A	1"	0.20	50	
E125A	1-1/4"	0.26	30	
E150A	1-1/2"	0.38	40	
E200A	2"	0.60	50	
E250A	2-1/2"	0.86	20	
E300A	3"	1.32	18	
E400A	4"	2.10	20	
E500A	5"	3.56	4	
E600A	6"	6.16	6	

Aluminum Part B Female Coupler x Male NPT



B050A	1/2"	0.18	100	
B075A	3/4"	0.24	50	
B100A	1"	0.36	30	
B125A	1-1/4"	0.62	45	
B150A	1-1/2"	0.70	30	
B200A	2"	0.86	50	
B250A	2-1/2"	1.02	40	
B300A	3"	1.56	25	
B400A	4"	2.42	25	
B500A	5"	3.34	4	
B600A	6"	4.98	10	

Aluminum Part F Male Adapter x Male NPT



F050A	1/2"	0.14	100	
F075A	3/4"	0.16	50	
F100A	1"	0.20	45	
F125A	1-1/4"	0.34	30	
F150A	1-1/2"	0.46	50	
F200A	2"	0.68	60	
F250A	2-1/2"	0.96	30	
F300A	3"	1.30	20	
F400A	4"	2.32	25	
F500A	5"	2.94	4	
F600A	6"	3.92	10	

Aluminum Part C Female Coupler x Hose Shank



C050A	1/2"	0.2	100	
C075A	3/4"	0.26	50	
C100A	1"	0.42	60	
C125A	1-1/4"	0.68	35	
C150A	1-1/2"	0.74	30	
C200A	2"	0.98	40	
C250A	2-1/2"	1.28	30	
C300A	3"	2.2	15	
C400A	4"	3.16	15	
C500A	5"	3.88	4	
C600A	6"	7.7	6	

Aluminum Part DC Dust Cap



DC050A	1/2"	0.18	100	
DC075A	3/4"	0.22	50	
DC100A	1"	0.34	40	
DC125A	1-1/4"	0.58	25	
DC150A	1-1/2"	0.64	40	
DC200A	2"	0.80	60	
DC250A	2-1/2"	0.94	50	
DC300A	3"	1.44	30	
DC400A	4"	2.34	15	
DC500A	5"	3.06	4	
DC600A	6"	4.66	6	

Aluminum Part D Female Coupler x Female NPT



D050A	1/2"	0.18	100	
D075A	3/4"	0.22	50	
D100A	1"	0.42	30	
D125A	1-1/4"	0.68	40	
D150A	1-1/2"	0.80	30	
D200A	2"	0.92	40	
D250A	2-1/2"	1.18	35	
D300A	3"	1.80	20	
D400A	4"	2.82	10	
D500A	5"	3.42	4	
D600A	6"	5.11	10	

Aluminum Part DP Dust Plug



DP050A	1/2"	0.07	100	
DP075A	3/4"	0.08	50	
DP100A	1"	0.10	80	
DP125A	1-1/4"	0.18	50	
DP150A	1-1/2"	0.25	50	
DP200A	2"	0.38	60	
DP250A	2-1/2"	0.54	40	
DP300A	3"	0.74	50	
DP400A	4"	1.22	25	
DP500A	5"	1.46	4	
DP600A	6"	2.53	20	

Note: Dust Caps & Dust Plugs are NOT DESIGNED FOR PRESSURE APPLICATIONS.

All prices and specifications subject to change without notice.

SS316 Stainless Steel Quick-Acting Couplings

Stainless Steel A Male Adapter x Female NPT

Part Number	Size	Weight Each	Standard Carton	List Price Each
A050SS	1/2"	0.10	100	
A075SS	3/4"	0.13	50	
A100SS	1"	0.12	70	
A125SS	1-1/4"	0.20	40	
A150SS	1-1/2"	0.28	30	
A200SS	2"	0.38	40	
A250SS	2-1/2"	0.58	50	
A300SS	3"	0.70	35	
A400SS	4"	1.34	20	
A500SS	5"	1.62	4	
A600SS	6"	2.00	15	



Stainless Steel Part E Male Adapter x Hose Shank

Part Number	Size	Weight Each	Standard Carton	List Price Each
E050SS	1/2"	0.08	100	
E075SS	3/4"	0.11	50	
E100SS	1"	0.20	50	
E125SS	1-1/4"	0.26	30	
E150SS	1-1/2"	0.38	40	
E200SS	2"	0.60	50	
E250SS	2-1/2"	0.86	20	
E300SS	3"	1.32	18	
E400SS	4"	2.10	20	
E500SS	5"	3.56	4	
E600SS	6"	6.16	6	



Stainless Steel Part B Female Coupler x Male NPT

B050SS	1/2"	0.18	100	
B075SS	3/4"	0.24	50	
B100SS	1"	0.36	30	
B125SS	1-1/4"	0.62	45	
B150SS	1-1/2"	0.70	30	
B200SS	2"	0.86	50	
B250SS	2-1/2"	1.02	40	
B300SS	3"	1.56	25	
B400SS	4"	2.42	25	
B500SS	5"	3.34	4	
B600SS	6"	4.98	10	



Stainless Steel Part F Male Adapter x Male NPT

F050SS	1/2"	0.14	100	
F075SS	3/4"	0.16	50	
F100SS	1"	0.20	45	
F125SS	1-1/4"	0.34	30	
F150SS	1-1/2"	0.46	50	
F200SS	2"	0.68	60	
F250SS	2-1/2"	0.96	30	
F300SS	3"	1.30	20	
F400SS	4"	2.32	25	
F500SS	5"	2.94	4	
F600SS	6"	3.92	10	



Stainless Steel Part C Female Coupler x Hose Shank

C050SS	1/2"	0.2	100	
C075SS	3/4"	0.26	50	
C100SS	1"	0.42	60	
C125SS	1-1/4"	0.68	35	
C150SS	1-1/2"	0.74	30	
C200SS	2"	0.98	40	
C250SS	2-1/2"	1.28	30	
C300SS	3"	2.2	15	
C400SS	4"	3.16	15	
C500SS	5"	3.88	4	
C600SS	6"	7.7	6	



Stainless Steel Part DC Dust Cap

DC050SS	1/2"	0.18	100	
DC075SS	3/4"	0.22	50	
DC100SS	1"	0.34	40	
DC125SS	1-1/4"	0.58	25	
DC150SS	1-1/2"	0.64	40	
DC200SS	2"	0.80	60	
DC250SS	2-1/2"	0.94	50	
DC300SS	3"	1.44	30	
DC400SS	4"	2.34	15	
DC500SS	5"	3.06	4	
DC600SS	6"	4.66	6	



Stainless Steel Part D Female Coupler x Female NPT

D050SS	1/2"	0.18	100	
D075SS	3/4"	0.22	50	
D100SS	1"	0.42	30	
D125SS	1-1/4"	0.68	40	
D150SS	1-1/2"	0.80	30	
D200SS	2"	0.92	40	
D250SS	2-1/2"	1.18	35	
D300SS	3"	1.80	20	
D400SS	4"	2.82	10	
D500SS	5"	3.42	4	
D600SS	6"	5.11	10	



Stainless Steel Part DP Dust Plug

DP050SS	1/2"	0.07	100	
DP075SS	3/4"	0.08	50	
DP100SS	1"	0.10	80	
DP125SS	1-1/4"	0.18	50	
DP150SS	1-1/2"	0.25	50	
DP200SS	2"	0.38	60	
DP250SS	2-1/2"	0.54	40	
DP300SS	3"	0.74	50	
DP400SS	4"	1.22	25	
DP500SS	5"	1.46	4	
DP600SS	6"	2.53	20	



Note: Dust Caps & Dust Plugs are NOT DESIGNED FOR PRESSURE APPLICATIONS.

All prices and specifications subject to change without notice.

Reducing Coupler/Adapters, Spool Adapters, Coupler x Coupler

Aluminum Reducing Coupler/Adapter



Part Number	Size	Weight Each	Standard Carton	List Price Each
DA2030A	2" X 3"	1.64	12	
DA3020A	3" X 2"	2.37	6	
DA3040A	3" X 4"	2.60	6	
DA4020A	4" X 2"	2.70	6	
DA4030A	4" X 3"	2.96	6	
DA6040A	6" X 4"	6.66	2	

Aluminum Spool Adapters



Part Number	Size	Weight Each	Standard Carton	List Price Each
AA150A	1-1/2"	0.43	50	
AA200A	2"	0.68	40	
AA2030A	2" X 3"	0.97	12	
AA300A	3"	1.10	12	
AA3040A	3" X 4"	1.78	8	
AA400A	4"	1.91	6	

Stainless Steel Reducing Coupler/Adapter



DA3020A	3" x 2"	4.08	6	
DA4030A	4" x 3"	6.41	4	
DA6040A	6" x 4"	12.10	2	

Stainless Steel Spool Adapter



AA150SS	1-1/2"	1.76	18	
AA1520SS	1-1/2" x 2"	2.10	20	
AA200SS	2"	2.48	20	
AA2030SS	2" x 3"	3.14	10	
AA300SS	3"	4.61	10	
AA3040SS	3" x 4"	5.28	6	
SS400SS	4"	7.28	6	

Aluminum Part DD Coupler x Coupler



DD200A	2"	1.43	12	
DD300A	3"	2.40	6	
DD400A	4"	3.90	5	

Stainless Steel Part DD Coupler x Coupler



DD150SS	1-1/2"	2.10	20	
DD200SS	2"	2.89	12	
DD300SS	3"	5.11	6	
DD400SS	4"	6.66	5	

Aluminum Reducing Coupler x Hose Shank



C4030A	4" x 3"	2.94	6	
--------	---------	------	---	--

All prices and specifications subject to change without notice.

Steel Combination Hose Nipples

Combination Hose Nipples (Plain Steel) / Male NPT

Part Number	Size	Weight Each	Standard Carton	List Price Each
STN050	1/2"	0.14	25	
STN075	3/4"	0.22	25	
STN100	1"	0.32	50	
STN125	1-1/4"	0.50	20	
STN150	1-1/2"	0.70	10	
STN200	2"	1.04	40	
STN250	2-1/2"	1.16	20	
STN300	3"	2.18	12	
STN400	4"	3.22	8	
STN500	5"	4.12	4	
STN600	6"	12.18	4	



Combination Hose Nipples (Plated Steel) / Male NPT

Part Number	Size	Weight Each	Standard Carton	List Price Each
HB050	1/2"	0.14	25	
HB075	3/4"	0.20	25	
HB100	1"	0.32	50	
HB125	1-1/4"	0.56	20	
HB150	1-1/2"	0.72	10	
HB200	2"	1.10	40	
HB250	2-1/2"	1.74	20	
HB3	3"	2.14	12	
HB4	4"	3.06	8	
HB6	6"	12.24	4	



Stainless Steel Combination Hose Nipples

Combination Hose Nipples (304 Stainless) / Male NPT

Part Number	Size	Weight Each	Standard Carton	List Price Each
SSN304050	1/2"	0.18	25	
SSN304075	3/4"	0.26	25	
SSN304100	1"	0.35	50	
SSN304125	1-1/4"	0.55	20	
SSN304150	1-1/2"	0.66	10	
SSN304200	2"	1.16	40	
SSN304250	2-1/2"	1.31	20	
SSN304300	3"	2.20	12	
SSN304400	4"	3.31	8	
SSN304500	5"	8.82	4	
SSN304600	6"	11.02	4	



Combination Hose Nipples (316 Stainless) / Male NPT

Part Number	Size	Weight Each	Standard Carton	List Price Each
SSN050	1/2"	0.18	25	
SSN075	3/4"	0.26	25	
SSN100	1"	0.35	50	
SSN125	1-1/4"	0.55	20	
SSN150	1-1/2"	0.66	10	
SSN200	2"	1.16	40	
SSN250	2-1/2"	1.31	20	
SSN300	3"	2.20	12	
SSN400	4"	3.31	8	
SSN500	5"	8.82	4	
SSN600	6"	11.02	4	



Hose Menders

Steel Hose Menders (Zinc Plated)

Part Number	Size	Weight Each	Standard Carton	List Price Each
HM050	1/2"	0.10	100	
HM062	5/8"	0.10	100	
HM075	3/4"	0.20	100	
HM100	1"	0.30	50	
HM125	1-1/4"	0.50	50	
HM150	1-1/2"	0.50	40	
HM200	2"	0.80	35	
HM250	2-1/2"	1.70	20	
HM300	3"	2.40	15	
HM400	4"	2.90	9	
HM600	6"	13.20	4	



All prices and specifications subject to change without notice.

Strainers and Skimmers

Plated Steel Strainers & Skimmers with standard straight pipe threads (NPSM)

Long Round Hole Strainer

Part Number	Size	Weight Each	Standard Carton	List Price Each
LHS150	1-1/2"	0.75	30	
LHS200	2"	0.94	25	
LHS300	3"	2.00	16	
RSS40	4"	2.25	4	



Top Hole Steel Strainer/Skimmer

Part Number	Size	Weight Each	Standard Carton	List Price Each
THS150	1-1/2"	1.64	25	
THS200	2"	2.00	25	
THS300	3"	2.68	15	



Round Hole Steel Strainer

RHS150	1-1/2"	1.36	32	
RHS200	2"	1.78	18	
RHS250	2-1/2"	2.02	18	
RHS300	3"	3.08	18	
RHS400	4"	2.90	18	
RHS600	6"	6.04	6	



Bottom Hole Steel Strainer/Skimmer

BHS150	1-1/2"	1.64	20	
BHS200	2"	2.00	20	
BHS300	3"	2.68	15	



Square Hole Steel Strainer

SHS150	1-1/2"	1.12	32	
SHS200	2"	1.74	18	
SHS300	3"	2.50	18	
SHS400	4"	2.52	18	
SHS600	6"	6.32	6	



Polypropylene Strainer

PPS150	1-1/2"	0.25	12	
PPS200	2"	0.30	18	
PPS300	3"	0.65	12	



Stainless Steel Round Hole Steel Strainer


RHS150SS	1-1/2"	1.53	2	
RHS200SS	2"	1.80	8	
RHS300SS	3"	2.75	4	
RHS400SS	4"	3.13	4	
RHS600SS	6"	9.27	1	



All prices and specifications subject to change without notice.

Replacement Gaskets for Quick Acting Couplings


EPDM Gasket

	Part Number	Size	Weight Each	Standard Carton	List Price Each
	EPDM100	1"	0.010	10	
	EPDM125	1-1/4"	0.016	10	
	EPDM150	1-1/2"	0.018	10	
	EPDM200	2"	0.022	10	
	EPDM250	2-1/2"	0.034	10	
	EPDM300	3"	0.042	10	
	EPDM400	4"	0.066	10	

Temperature Rating: -60°F to 300°F

Note: Sold in full standard packages only


Buna-N Gasket

	Part Number	Size	Weight Each	Standard Carton	List Price Each
	BUNA075	3/4"	0.008	10	
	BUNA100	1"	0.010	10	
	BUNA125	1-1/4"	0.016	10	
	BUNA150	1-1/2"	0.018	10	
	BUNA200	2"	0.022	10	
	BUNA250	2-1/2"	0.034	10	
	1082-0000	3"	0.042	10	
	1083-0000	4"	0.066	10	
	BUNA500	5"	0.094	10	
	1084-0000	6"	0.116	10	

Temperature Rating: -40°F to 250°F

Note: Sold in full standard packages

Viton® Gasket


	Part Number	Size	Weight Each	Standard Carton	List Price Each
	VITON050	1/2"	0.007	10	
	VITON075	3/4"	0.008	10	
	VITON100	1"	0.010	10	
	VITON125	1-1/4"	0.016	10	
	VITON150	1-1/2"	0.018	10	
	VITON200	2"	0.022	10	
	VITON250	2-1/2"	0.034	10	
	VITON300	3"	0.042	10	
VITON400	4"	0.066	10		

Temperature Rating: -20°F to 400°F

Note: Sold in full standard packages only

Viton® is a registered trademark of DuPont Performance Elastomers

White Neoprene (FDA) Gasket


	Part Number	Size	Weight Each	Standard Carton	List Price Each
	WN100	1"	0.010	25	
	WN200	2"	0.022	25	
	WN300	3"	0.042	50	
	WN400	4"	0.066	20	
	WN500	5"	0.094	10	
	WN600	6"	0.116	40	

Temperature Rating: -45°F to 250°F


Note: Sold in full standard packages

Replacement Handles & Safety Clips


Forged Brass Replacement Handles with SS Slot Pins, SS Pull Rings, & CS Safety Clips

	Part Number	Size	List Price Each
	1	1/2" - 3/4"	
	1	1"	
	1	1-1/4" - 2-1/2"	
	1	3" - 5"	
	1	6" - 8"	

Investment Cast 304 SS Replacement Handles with SS Slot Pins, SS Pull Rings, & SS Safety Clips

	Part Number	Size	List Price Each
	1	1/2" - 3/4"	
	1	1"	
	1	1-1/4" - 2-1/2"	
	1	3" - 5"	
	1	6" - 8"	

Safety Clips - 304 Stainless Steel

	Part Number	Size	Weight Each	Standard Carton	List Price Each
	1	3/4"	0.008	10	
	1	1"	0.010	10	

All prices and specifications subject to change without notice.